


# **Security and Convenience Accessories**

# Portable Personal Security Output Four-button Remote Key Wireless Personal Panic Transmitters







### **Door/Window Transmitters**



5800MICRA Recessed Window Transmitter



5811 Thin Door/Window **Contact Transmitter** 



5814 Ultra-small Door/ Window Transmitter



Door/Window Transmitter

5815



5816 Two Zone Door/Window Transmitter



**Outdoor Wireless** Contact/Transmitter



5817CBXT Commercial Transmitter



Awareness/Environmental



and Flood Detector


Tilt Sensor Transmitter

5800RPS Wireless Recessed Transmitter

5818MNL Recessed Transmitter



5819 Shock Processor and Transmitter



and Shock Sensor



5821 Temperature Sensor

### Life Safety Options



5193SD/SDT V-Plex® Addressable Smoke Detector



5806W3 Wireless Smoke Detector



5808W3 Wireless Smoke and Heat Detector with Low Temperature Detection



5809 Wireless Rate-of-Rise **Fixed Temperature** Heat Detector



5800CO Wireless Carbon Monoxide Detector



5800WAVE Wireless Siren



WAVE2 Siren



745VSD3PK2 Trilingual Voice Siren Driver with 32 ohm Speaker



AVS Two-way Voice for VISTA®

### **Space Protection**



5800SS1 Shock Sensor



5853 Glassbreak Detector

### Awareness/Environmental



5870API Indoor Asset Protection Sensor



5800PIR-OD Wireless Outdoor Motion Sensor



5800PIR-RES Pet Immune Wireless PIR



5800PIR Wireless PIR with Selectable Pet Immunity and Low Temperature Alert



5800PIR-COM Wireless Commercial PIR with Low Temperature Alert



5898 Wireless K-Band **DUAL TEC®** Motion Sensor



Aurora PIR Motion Sensor



IS2500 Pet Immune PIR Motion Detector



DT7000 Series DUAL TEC® Motion Sensors



FG1600 Series Glassbreak Detectors

### Convenient Remote Controls and Personal Emergency Response Options



5802WXT One-button Wireless Personal Panic Transmitter



Accessories



5802WXT-2 Two-button Wireless Personal Panic Transmitter



5834-4EN Four-button Wireless Key with Plated Bezel and Key Ring



5834-4 Four-button Wireless Key



5877GDPK Garage Door Control Kit

### **SECURITY PRICE LIST**

Door/ Window Transmitters	
5800MICRA Recessed Window Transmitter	\$ 53.16
5811 Thin D/W Transmitter	\$ 34.45
5814 Ultra Small D/W Transmitter	\$ 63.82
5815 D/W Transmitter	\$ 34.45
5816 Two zone D/W Transmitter	\$ 43.58
5816OD Outdoor Wireless Transmitter	\$ 72.14
5817CB Commercial Transmitter	\$ 80.52
5800RPS Wireless Recessed Transmitter	\$ 53.16
5818MNL Recessed Transmitter	\$ 37.05
5819 Shock Transmitter	\$ 67.47
5819WHS Shock Sensor	\$ 58.49
5820L Slim line D/W transmitter	\$ 37.05
5821 Temp and Flood Sensor	\$ 53.29
5822T Tilt Transmitter	\$ 42.90

# **Life Safety Options**

, ,	
5193SD/SDT Smoke Detector	\$ 76.69
5806W3 Wireless Smoke Detector	\$ 79.51
5808W3 Wireless Smoke Detector/Heat dect/temp dect	\$ 77.99
5809 Wireless Rate of Rise fixed temp heat detector	\$ 64.35
5800CO Wireless Carbon Monoxide Detector	\$ 101.39
5800WAVE Wireless Siren	\$ 102.69
WAVE2 Siren	\$ 8.41
AVS Two-way voice for VISTA	\$ 185.12

# **Space Protection**

5800SS1 Shock Sensor	\$ 51.83
5853 Glass break Detector	\$ 77.99
5870API Indoor Asset Protection Sensor	\$ 94.89
5800PIR-OD Wireless Outdoor Motion Sensor	\$ 270.39
5800PRI-RES Pet immune Wireless sensor	\$ 75.39
5800PRI Wireless with selectable Pet and Low Temp Alert	\$ 97.31
5800PRI-COM Commercial PIR	\$ 107.71
5898 Wireless K-Band	\$ 133.71

Remote Control & PER	
5802WXT One button Wireless Personal Panic Transmitter	\$ 38.99
5802WXT-2 Two-button Wireless Personal Panic Transmitter	\$ 38.99
5834-4EN Four-button Wireless Key with Plated Bezel	\$ 54.59
5834-4 Four Button Wireless Key	\$ 33.79
5877GDPK Garage Door Control Kit	\$ 149.50

Cameras	
IPCAM_W12 Indoor IP cam for TC W/WPS WHT	\$ 136.50
IPCAM-WO Outdoor IP cam for TC WHT	\$ 290.98
IPCAM-PT Indoor PT Cam for TC WHT	\$ 304.20

Panels	
L5200	\$ 247.00
L7000	\$ 285.99

Modular Cards	
L5100-WIFI	\$ 64.99
CDMAVLP5-4G	\$ 135.20
ILP5 Ethernet Communications Module	\$ 96.85
L5100-ZWAVE	\$ 25.94

Thermostats	
ZWSTAT Honeywell Intrusion	\$ 159.90
RP-CT32 Radio Thermostat	\$ 116.99
LN-GCTBZ48 Linear Corporation	\$ 77.99



**Home Automation & Security** 

Kwikset Door Locks	
99100-004 910 TRL ZW L03 SMT CP Polished Brass	\$ 181.99
99100-005 910 TRL ZW 15 SMT CP Satin Nickel	\$ 181.99
99100-006 910 TRL ZW 11P SMT CP Venetian Bronze	\$ 181.99
99100-011 910 CNT ZW 15 SMT CP Satin Nickel	\$ 189.79
99100-012 910 CNT ZW 26 SMT CP Satin Chrome	\$ 181.99
99100-013 910 CNT ZW 26 SMT CP Polished Chrome	\$ 181.99
99100-014 910 CNT ZW 11P SMT CP Venetain Bronze	\$ 189.79
99120-004 912LL TRL ZW L03 SMT CP Polished Bronze	\$ 224.89
99120-005 912LL TRL ZW 15 SMT CP Satin Nickel	\$ 217.09
99120-006 912TNL TRL ZW 11P SMT CP Venetain Bronze	\$ 217.09

Z-wave Lighting Products	
LN-LB60Z-1 Z Wave Dimmer Light Bulb	\$ 33.14
LN-WS15Z1 Z Wave Wall Switch 15A	\$ 35.09
LN-WT00Z1 3 WAY AUXILIARY SWITCH	\$ 40.95
LN-WD500Z1 Z-WAVE IN-WALL SWITCH 500W	\$ 35.09
LN-WO15Z1 WALL SNGL OUTLET, 15A, NA, WH, ZW	\$ 37.05
LN-PD300Z2 Z-WAVE PLUG-IN DIMMER 300W	\$ 40.95
LN-PS15Z2 Z-WAVE APPLIANCE PLG 120VAC/ 5A	\$ 40.95
LN-FS20Z1 FIXTURE MT CNTRL, 20A, NA, WH, ZW	\$ 47.45



# **Linear Z-Wave Lighting Products**



### **LB60Z-1** Dimmable LED Light Bulb

The LinearLinc™ LB60Z-1 is a Z-Wave controllable and fully-dimmable, instant-on LED screw-in light bulb that provides pleasant soft-white illumination equivalent to a 60-watt incandescent bulb, yet uses only 9 watts of energy. The LB60Z offers great value and convenience with an estimated 22+ year lifespan (3 hrs./day avg.), and remote control through a compatible Z-Wave hub or controller.



### WS15Z-1 Wall Mount Switch

The Linear WS15Z-1 Wall Mount Switch allows remote ON/OFF control of loads connected to the switch, and is easily wired in place of a standard wall switch.

### Replaceable Trim Ring

The WS15Z-1 Wall Mount Switch has a field replaceable trim ring - the color of the device can be altered with the Trim Ring Kit model in black, brown and almond.



### WTOOZ-1 3-Way Wall Mount Accessory Dimmer/Switch

The WT00Z-1 Wall Mount Accessory Dimmer Switch allows remote ON/OFF control and dimming of lights controlled by associated Z-Wave modules, creating virtual 3-way switches. The WT00Z-1 controls no load directly, so it can be wired anywhere power is available, without the need for a traveler wire.

### **Replaceable Trim Ring**

The WT00Z-1 3-Way Wall Mount Accessory Dimmer/Switch has a field replaceable trim ring - the color of the device can be altered with the Trim Ring Kit model in black, brown and almond.



### **WD500Z-1** Wall Mount Dimmer

The Linear WD500Z-1 Wall Mount Dimmer allows remote ON/OFF control and dimming of connected lights. The dimmer switch is easily wired in place of a standard wall dimmer, and requires a Neutral connection.

### Replaceable Trim Ring

The WD500Z-1 Wall Mount Dimmer has a field replaceable trim ring - the color of the device can be altered with the Trim Ring Kit model in black, brown and almond.

### Also Available: WD1000Z-1

Linear also offers a 1,000 watt capacity dimmer, model WD1000Z-1.

## **Linear Z-Wave Lighting Products**



### WO15Z-1 Wall Mounted Outlet

The Linear WO15Z-1 Wall Outlet is wired in place of a standard duplex receptacle. This device allows remote ON/OFF control of loads connected to the bottom outlet (the other outlet remains powered at all times).

### 2008 National Electric Code Compliance

The 2008 NEC requires that all new installations of single and multi-family homes install tamper-resistant outlets. The WO15Z-1 is fully compliant with this code.



### PD300Z-2 Plug-in Lamp Module

### **Z-Wave Plug-in Lamp Module**

The Linear PD300Z-2 Plug-in Lamp Module is designed to provide Z-Wave control to a connected dimmable lamp. The PD300Z-2 module is plugged into any standard grounded AC wall outlet, and the lamp is then plugged into the module. Once connected, the lamp can be dimmed or turned on or off remotely via the Z-Wave controller. The module contains two power receptacles - one controlled, and one pass-through (powered at all times).

### **AutoSense**

Unique to Linear, the AutoSense feature allows for local lamp activation independent of the Z-Wave controller status. With AutoSense, one can simply switch the connected lamp's manual switch off, then on, and AutoSense will instruct the PD300Z-2 to turn the lamp on.



### PS15Z-2 Plug-in Appliance Module

The Linear PS15Z-2 Plug-in Appliance Module is designed to provide Z-Wave control to a connected load. The PS15Z-2 module is plugged into any standard grounded AC wall outlet, and the appliance or other device is then plugged into the module. Once connected, the appliance/device can be turned on or off remotely via the Z-Wave controller. The module contains two power receptacles - one controlled, and one pass-through (powered at all times).



### FS20Z-1 Isolated Contact Fixture Module

The Linear FS20Z-1 Isolated Contact Fixture Module can be mounted in a single- or multi-gang electrical box to operate loads or control relay-based devices. The relay can be isolated for dry contact applications or powered to switch live loads. This device can operate loads of up to 277v.

**Possible Applications**: Commercial Lighting, In-Ceiling Lighting/fans, Dry-Contact Relays, Pool Pumps, Water Heaters.